



ERGONOMIC DRUM HANDLING PRODUCTS

**Handling Made Safe & Easy
Because You can't Afford
to Drop a Drum...**



- **Safety**
- **Dependability**
- **Ease Of Use**
- **Affordable Prices**

- Look Inside For:**
- Hand Trucks
 - Work Positioners
 - Forklift Attachments
 - Emergency Response Drum Attachments

Order Today 1(800) 837 6540





MODEL BHDL

- Automatic/mechanical operation
- Spring loaded arms for safety
- Handles steel, poly, fibre drums
- Great for handling drums in & out of 'overpacks'!
- Solid steel construction
- Available in 3 sizes!

Technical Specifications:

Weight: 18 lbs.	8.1 kg
21.5"H x 9.5"L x 16"W	546 mm x 241 mm x 406 mm
1000 lb. capacity	450 kg

*Drums over 500 lbs. must have top lid secured for lifting

MODEL HCB


- Single & double drum models
- Attaches to any overhead lifter
- Handles all rimmed drums
- Adjustable counterbalance
- One-man operation
- Optional belt cradle & spark resistant jaws

Technical Specifications:

SINGLE	
Weight: 100 lbs.	45 kg
32"H x 36"L x 14"W	812 mm x 914 mm x 355 mm
2000 lb. capacity	900 kg
DOUBLE	
Weight: 230 lbs.	103.5 kg
35"H x 36"L x 40"W	889 mm x 914 mm x 1016 mm
4000 lb. capacity	1800 kg



1 out of every 5 Workplace Injuries are related to back strain — often due to lifting too much by hand or using improper methods.



MODEL FTB-1

- Converts any forklift to a hoist
- 360° Safety swivel hook
- Built-in safety chain & clamp
- Great for moving large & bulky items
- Single fork model available - call us!

Technical Specifications:

Weight: 42 lbs.	18.9 kg
7"H x 14"L x 31"W	177 mm x 355 mm x 787 mm
3000 lb. capacity	1360 kg



MODEL LD-1

- Fits any forklift
- Handles steel, poly, fibre drums
- Automatic/mechanical operation
- Ideal for low volume use
- Adjustable for 30 & 55 gallon drums
- Ships UPS/RPS

Technical Specifications:

Weight: 100 lbs.	45 kg
37"H x 30.5"L x 31"W	939 mm x 775 mm x 787 mm
850 lb. capacity	382.5 kg

Order Today 1(800) 837 6540

MODEL 2 IN 1

- Hand truck & drain rack
- Handles steel tight- & open-head drums
- Casters on chassis for easy mixing
- Drains drums to 1qt.
- 10" Full-bearing wheels
- Ships UPS/RPS

Technical Specifications:

Weight: 45 lbs.	20.25 kg
62"H x 31"L x 17"W	1574 mm x 787 mm x 432 mm
1000 lb. capacity	450 kg



MODEL 10HT4W

- Handles all rimmed drums
- Infinite height adjustment
- Automatic safety lock keeps a firm grip on drum
- 4 wheels for easy transport
- All steel construction
- Ships UPS/RPS

Technical Specifications:

Weight: 75 lbs.	33.75 kg
60"H x 24"W	1524 mm x 609 mm
1000 lb. capacity	450 kg



Let Liftomatic's Ergonomic Products take the strain out of Your Handling Practices — Order Today!



MODEL WSLC-1

- Scissor work positioner and lift table
- Eliminates heavy repetitive lifting motion
- 4 independent caster wheels with brakes
- Numerous uses in plants, office, shops
- All steel construction
- Simple, durable foot pump operation

Technical Specifications:

Weight: 160 lbs.	73 kg
32"L x 20"W	815 mm x 500 mm
Lowered height: 10.5"	270 mm
Raised height: 35"	900 mm
660 lb. capacity	300 kg

MODEL JR-CM


- Fits most "Walkie" style forklifts (specify model when ordering)
- Great for light-duty drum handling
- Handles all rimmed drums
- Easy to use by any operator
- Height adjustment for 30 & 55 gal. drums
- Handles damaged drums

Technical Specifications:

Weight: 45 lbs.	20.25 kg
34"H x 14"W x 8"L	863 mm x 355 mm x 203 mm
1000 lb. capacity	450 kg



Order Today 1(800) 837 6540



**Let Liftomatic's
Ergonomic Products
take the strain out of
Your Handling Practices
—
Order Today!**



MODEL SD1

- Handles steel & plastic drums with center bilges
- Self-contained/no hookups necessary
- Forward/reverse rotation
- Dumps to 140°
- Infinite control & start/stop adjustment
- Secure U-bolt locking device holds drum securely
- Slides onto forks of lift truck with safety chain
- 1-Year Warranty
- Must have 26" I.D. forkspreads

Technical Specifications:

Weight: 370 lbs.	166 kg
25"H x 52"L x 41"W	635 mm x 1320 mm x 1041 mm
1500 lb. capacity	675 kg

To Order Call 1(800) 837 6540



Liftomatic Material Handling, Inc.
700 Dartmouth Lane
Buffalo Grove, IL 60089
1(800) 837-6540
FAX (847) 325-2959
info@liftomatic.com (e-mail)
www.liftomatic.com

Order Today 1(800) 837 6540

